

CELLE DI LIEVITAZIONE

ABBINABILI A FORNI TRAYS E TRAYS GLASS. |

Prooving chambers can be combined to TRAYS and TRAYS GLASS ovens. | Gärschrank mit TRAYS und TRAYS GLASS-öfen kombinierbar. | Étuve de fermentation associable aux fours TRAYS et TRAYS GLASS. | Fermentadora compatible con hornos TRAYS y TRAYS GLASS. | Câmara de fermentação integrável com fornos TRAYS e TRAYS GLASS. | Расстоечная камера, сочетаемая с печами TRAYS и TRAYS GLASS.

Riscaldata, con ruote e porte vetro.

Heated, with wheels and glass doors.
Geheizt mit Rädern und Glastüren.
Chauffée, avec roulettes et portes vitrées.
Calentada, con ruedas y puertas de cristal.
Aquecida, com rodas e portas de vidro.
Нагреваемая, на колесиках, со стеклянными дверцами.



CELLA INOX 4-44

CELLA INOX 4-4-4

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		12 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 110,0 P 96,4 H 90,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	9,0
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	60,0
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 4 TRAYS 44 TRAYS GLASS 4 TRAYS GLASS 44

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		6 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 110,0 P 96,4 H 55,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	7,8
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	56,0
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 4x3 TRAYS GLASS 4x3



CELLA INOX 6-66

CELLA INOX 6-6-6

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		12 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 110,0 P 120,4 H 90,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	9,0
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	-
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 6 TRAYS 66 TRAYS GLASS 6 TRAYS GLASS 66

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		6 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 110,0 P 120,4 H 55,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	7,8
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	-
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 6x3 TRAYS GLASS 6x3



CELLA INOX 6L-66L

CELLA INOX 6L-6L-6L

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		18 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 150,0 P 96,4 H 90,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	9,0
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	91,0
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 6L TRAYS 66L TRAYS GLASS 6L TRAYS GLASS 66L

Capacità di carico Load capacity Ladevermögen Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		9 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 150,0 P 96,4 H 55,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	7,8
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	72,0
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 6Lx3 TRAYS GLASS 6Lx3



CELLA INOX 9-99

CELLA INOX 9-9-9

Capacità di carico Load capacity Ladevermögung Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		18 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 150,0 P 120,4 H 90,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	9,0
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	-
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 9 TRAYS 99 TRAYS GLASS 9 TRAYS GLASS 99

Capacità di carico Load capacity Ladevermögung Capacité de charge Capacidad de carga Capacidade de carga Количество устанавливаемых противней		9 Trays 600x400
Dimensioni esterne External dim. Außenabmessungen Dim. extérieures Medidas externas Dimensões externas Внешние габ. размеры	cm	L 150,0 P 120,4 H 55,0
Spazio tra le teglie Space between trays Abstand der Bleche L'espace entre les plats Espacio entre bandejas Espaço entre tableiros Пространство между лотками	cm	7,8
Potenza Power Heizleistung Puissance Potencia Potência Мощность	KW	2
Alimentazione Power supply Anschluss Alimentation Alimentación Alimentação Питание	volt Hz	230 • 1N 50 • 60
Temperatura d'esercizio Working temperature Arbeitstemperatur Temperature de travail Temperatura de ejercicio Temperatura de funcionamiento Рабочая температура	°C	0 • 60
Peso Weight Wicht Poids Peso Peso Вес	kg	-
Accessoriato con Equipped with Ausgestattet mit Équipé avec Equipado con Equipado con Оснащение		Water container
Abbinabili ai forni Can be combined to the ovens Mit den Öfen kombinierbar Associables aux fours Compatibles con los hornos Integráveis com os fornos Сочетаемые с печами		TRAYS 9x3 TRAYS GLASS 9x3